

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			_
Forename(s)			
Candidate signature			

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Physics Paper 1F

Wednesday 22 May 2019 Afternoon Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
TOTAL		

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.




0 1	A designer made some shoes that	have lights in them.		
	Each shoe has a switch which close	es when a person puts their f	oot on the floor.	
	Figure 1 shows the circuit.			
		Figure 1		
		+		
		X		
0 1.1	What is component X ?		[1 mark]	
	Tick (✓) one box.		[1	
	Lamp			
	LDR			
	LED			
0 1.2	Complete the sentence.			
	Choose the answer from the box.		[1 mark]	
	greater than	less than	the same as	
	When the switch was closed, the current in component X was the current in the resistor.			



The designer tested how the number of cells affected the number of steps that could be taken before the lights stopped working.

Figure 2 shows the results.

Figure 2



0 1 . 3	Determine how many more steps could be taken when t	he number of cells was
	increased from 3 to 5	[2 marks]
	Number of steps =	thousand

Question 1 continues on the next page



0 1.4	How could the designer check the repeatability of the results? [1 mark]
	Tick (✓) one box.
	Repeat the experiment with a different resistor in the circuit.
	Repeat the experiment using exactly the same method.
	Repeat the experiment with different types of shoe.
0 1.5	When the potential difference across the resistor was 0.80 V, the current in the resistor was 0.020 A
	Calculate the power dissipated by the resistor.
	Use the equation: power = potential difference × current [2 marks]
	Power =W
0 1.6	Which other equation can be used to calculate the power dissipated by a resistor? [1 mark]
	Tick (✓) one box.
	Power = (current) ² × resistance
	Power = $\frac{\text{current}}{(\text{resistance})^2}$
	Power = current × (resistance) ²



Do not write outside the box

11

0 1 . 7	What happens to the temperature of the resistor when there is a current in it?	
		[1 mark]
1 . 8	There was a current of 0.020 A in the resistor for 180 seconds.	
	Calculate the charge flow through the resistor.	
	Use the equation:	
	charge flow = current × time	
		2 marks]
	Charge flow =	C

Turn over for the next question



0 2

A student investigated how the area of a solar panel affected the output potential difference of the solar panel.

The student placed different sized solar panels under a lamp.

Figure 3 shows a solar panel under a lamp.

Figure 3



0 2.1	Which variable should be controlled? Tick (✓) one box.	[1 mark]
	The area of the solar panels	
	The brightness of the lamp	
	The output potential difference of the solar panels	



0 2.2	The student measured the output potential difference using a voltmeter.		
	When the voltmeter was not connected, the reading on the voltmeter was 0.7 V		
	What name is given to this type of error?		
	[1 mark] Tick (✓) one box.		
	Zero error		
	Random error		
	Measurement error		
	Question 2 continues on the next page		



Table 1 shows the results of the investigation.

Table 1

Solar panel	Area of solar panel in cm ²	Output potential difference in volts			
		Test 1	Test 2	Test 3	Mean
Α	10	2.5	2.4	2.6	2.5
В	20	5.0	5.0	4.9	5.0
С	30	7.5	11.9	7.5	7.5
D	50	12.4	12.6	12.5	12.5

0 2 . 3	The readings for which solar panel show an anomalous result? Tick (✓) one box. A B C D	ı rk]
0 2.4	The student did not have a solar panel with an area of 40 cm ² Determine the most likely value for the mean output potential difference of a 40 cm ² solar cell. [1 magestate of the mean output potential difference of a 40 cm ² solar cell.	
	Mean output potential difference =	



0 2.5	The total input energy transfer to one of the solar panels was 8.0 joule	S.
	The useful output energy transfer was 0.96 joules.	
	Calculate the efficiency of the solar panel.	
	Use the equation:	
	efficiency = $\frac{\text{useful output energy transfer}}{\text{total input energy transfer}}$	
		[2 marks]
	Efficiency =	
0 2 . 6	Solar power is a renewable energy resource.	
	Complete the sentence.	
	Choose the answer from the box.	[1 mark]
	burned replenished cor	sumed
	A renewable energy resource is one that is	as it is used.
	Question 2 continues on the next page	



0 2.7	Some homes have solar panels which generate electricity.	ou
	On a sunny day the potential difference across a solar panel is 31 volts.	
	A charge of 490 coulombs flows through the solar panel.	
	Calculate the energy transferred by the solar panel.	
	Use the equation:	
	energy transferred = charge flow × potential difference	
	Give your answer to 2 significant figures. [3 marks]	
	Energy transferred = J	
0 2.8	Why do solar panels on homes help reduce the environmental impact of using electrical devices? [1 mark] Tick (✓) one box.	
	Less electricity is used in the home.	
	Less fossil fuel is burned.	
	The electricity from the solar panels is cheaper.	
		-



Do not write Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶

outside the




0 3	In an experiment, a beam of alpha particles was directed at a thin sheet of gold foil.
0 3.1	Most of the alpha particles passed straight through the gold foil.
	Alpha particles which passed close to the nucleus of a gold atom did not pass straight through.
	What happened to the alpha particles which passed close to the nucleus of a gold atom?
	[1 mark]
0 3.2	The results suggested that the diameter of the nucleus of a gold atom is $\frac{1}{6000}$ of the diameter of the atom.
	The diameter of a gold atom is 0.18 nm
	Calculate the diameter of a gold nucleus in nm [2 marks]
	[=
	Diameter = nm

0 3 . 3

Further experiments showed that gold nuclei are surrounded by electrons in different energy levels.

Figure 4 shows three of the energy levels around the nucleus of a gold atom.

Figure 4



The electron in energy level **B** absorbs electromagnetic radiation.

Which energy level will the electron be in after it has absorbed the electromagnetic radiation?

[1 mark]

Tick (✓) one box.

Α

В


С

Question 3 continues on the next page



Figure 5 shows how the temperature of a small sample of gold changes as it is heated from a solid to a liquid.





0	3	. 4	What is	the melting	point of	the gold?
---	---	-----	---------	-------------	----------	-----------

[1 mark]

Melting point = °C

0 3 . 5 How many minutes did it take for all of the gold in the sample to change from solid to liquid?

[1 mark]

Time taken = _____ minutes



0 3.6	What does the gradient of the graph in Figure 5 represent? Tick (✓) one box.	[1 mark]	Do not write outside the box
	The internal energy of the gold		
	The rate of change of temperature of the gold		
	The specific heat capacity of the gold		
			7
	Turn over for the next question		

- **0 4** Protactinium (Pa) is radioactive.
- 0 4 . 1 An atom of one isotope of protactinium contains 91 protons and 143 neutrons.

What is the correct symbol for this atom?

[1 mark]

Tick (✓) one box.


A teacher investigated how the count rate from a sample of protactinium changed over time.

Table 2 shows the results.


Table 2

Time in seconds	Count rate in counts per second
0	200
50	122
100	74
150	45
200	27









0 4 . 2 Complete the graph in Figure 6.

Use data from Table 2.

Draw the line of best fit.

[2 marks]

0 4 . 3 How much time did it take for the count rate to change from 200 counts per second to 100 counts per second?

[1 mark]

Time taken = _____s

0 4 . 4 What is the half-life of protactinium?

[1 mark]

Half-life =



	Do not write outside the
ark]	box
ark]	
	7

0 4 . 5	The nuclear radiation from the protactinium can pass through paper.		
	This radiation can only be detected up to 1 metre away from the protactinium.		
	What type of radiation is emitted by the protactinium?	1 mark]	
	Tick (✓) one box.		
	Alpha		
	Beta		
	Gamma		
	Neutron		
0 4.6	The teacher read an article about the effects of radiation on the human body. Why are articles in scientific journals generally more trustworthy than articles in newspapers?	1 mark]	



0 5 Figure 7 shows a toaster.

Figure 7



	The toaster is co	nnected to the ma	ins supply using	a three-core cable.	
0 5.1	What is the function Tick (✓) one box	ion of the earth w	ire inside the cabl	e?	[1 mark]
	To carry the curr	ent from the supp	ly to the toaster		
	To complete the	circuit in the toast	er		
	To melt if a fault	occurs inside the	toaster		
	To stop the meta	al case of the toas	ter becoming live	if a fault occurs	
0 5.2	Complete the se	ntences.			
	Choose answers	from the box.			[3 marks]
	blue	brown	orange	white	yellow
		ound the earth win			·
		ound the neutral v			



0 5 . 3	The toaster is switched	on for 120 seconds.		
	The power of the toaste	er is 850 watts.		
	Calculate the energy tra	ansferred by the toaster.		
	Use the equation:			
		energy transferred = po	ower × time	[2 mouleo]
				[2 marks]
		Energy transferre	ed =	J
0 5 . 4	Complete the sentence	S.		
	Choose answers from t	he box.		
				[2 marks]
	chemical	elastic potential	kinetic	thermal
		into the teaster a enring	is stretched. The st	retched spring
	When bread is lowered	into the toaster, a spring	is stretoried. The st	
		energ		. 3
	stores		y.	
	stores	energ	y. coast move upwards	. As the
	stores	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the
	After the bread is toaste speed of the toast incre	energ energ	y. coast move upwards	. As the



12

0 5 . 5	Write the equation which links gravitational field strength, gravitational pote energy, height and mass.	ential
	energy, neight and mass.	[1 mark]
0 5.6	The toast was moved upwards by the spring.	
	The change in gravitational potential energy of the toast was 0.049 J	
	The mass of the toast was 0.050 kg	
	gravitational field strength = 9.8 N/kg	
	Calculate the change in height of the toast.	[3 marks]
	Change in height =	m

Turn over for the next question

		22	
0 6	A student investigated how the c across the resistor.	urrent in a resistor varies with the	e potential difference
	Figure 8 shows part of the circui	t used.	
		Figure 8	
		+	
0 6.1		eter and a voltmeter into the circulect the ammeter and the voltmeter	
	Ammeter	Voltmeter	
	In parallel with the resistor	In series with the resistor	
	In parallel with the cell	In series with the resistor	
	In series with the resistor	In parallel with the resistor	
	In series with the resistor	In parallel with the cell	
062	The student increased the resist:	ance of the variable resistor	

0 6 . 2	The student increased the resistance of the variable resistor.	
	How did increasing the resistance affect the current in the circuit?	[1 mark



	potential difference?	F4
		[1 mark]
6.4	Name the type of relationship between current and potential difference for a	ı resistor at
	constant temperature.	[1 mark]
6.5	Write the equation which links current, potential difference and resistance.	[1 mark]
6.6	The current in the resistor was 0.12 A when the potential difference across was 3.0 V	the resistor
	Calculate the resistance of the resistor.	[3 marks]



0 7	A scientist cooled the air inside a container.	
0 7 . 1	The temperature of the air changed from 20 °C to 0 °C	
	The volume of the container of air stayed the same.	
	Explain how the motion of the air molecules caused the pressure in the contents as the temperature degreesed	ainer to
	change as the temperature decreased.	[3 marks]
0 7.2	The air contained water that froze at 0 °C	
	The change in internal energy of the water as it froze was 0.70 kJ	
	The specific latent heat of fusion of water is 330 kJ/kg	
	Calculate the mass of ice produced.	
	Use the Physics Equations Sheet.	[3 marks]
		[5 marks]
	Mass of ice =	kg



0 7 . 3 The air also contained oxygen, nitrogen and carbon dioxide.

Oxygen boils at –183 °C and freezes at –218 °C Nitrogen boils at –195 °C and freezes at –210 °C Carbon dioxide sublimates at –78 °C

The scientist continued to cool the air to a temperature of -190 °C

What is the state of each substance at -190 °C?

[2 marks]

Tick (\checkmark) one box for each row of the table.

Substance	Solid	Liquid	Gas
Oxygen			
Nitrogen			
Carbon dioxide			

Question 7 continues on the next page


2 5

		Do no
7 . 4	The air also contained a small amount of argon.	outsi b
	As the temperature of the air decreased from 20 $^{\circ}\text{C}$ to –190 $^{\circ}\text{C}$ the argon changed from a gas to a liquid to a solid.	
	Explain the changes in the arrangement and movement of the particles of the argon as the temperature of the air decreased.	
	[6 marks]	

14

END OF QUESTIONS







There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.





Do not write outside the